

GUIDE

TENANT IMPROVEMENTS

GUIDE OVERVIEW

This guide is intended to assist the applicant with their drawing requirements for a building permit application. This is only an example of the information required for a drawing set submission, and is not intended to be reproduced for a building permit application.

This guide is intended to compliment the Major Building Permits brochure, Building Permits and Inspections brochure, Starting a Business brochure, Tenant Improvement Checklist and the Tenant Improvement Permit Application.

What is a Tenant Improvement and when is a Building Permit required?

A tenant improvement is new construction or alteration proposed to a building. Any interior or exterior alterations or change of use to an existing commercial, industrial and multi-residential building requires a building permit. For example, construction of walls, floors, stairs, installation of doors, shelving, equipment, plumbing fixtures, additional or relocated sprinkler heads, etc.

Examples:

- Increase floor area to an existing building.
- Add mezzanine or storey within an existing space.
- Install or modify commercial kitchen exhaust system.
- Proposed tenant improvements requiring Preliminary Plan Approval (*see information later in guide*).
- Alter the interior layout or exterior of a building.
- Re-piping.
- Modifications to the fire suppression system (building sprinklers)
- Modifications to the Fire Protection or Life Safety Systems
- Racking.
- Changing the use of a business.
- Occupant load changes.
- Elevator recall system upgrades.
- Fire alarm panel replacement.

SUBTRADES

All subtrade permits shall be obtained by a certified trade contractor, licensed in the City of Coquitlam. Please note, the City of Coquitlam, issues plumbing and sprinkler permits however electrical and gas permits are applied for through [Technical Safety BC](#). Electrical Information such as load calculation and single line diagram showing the size and type of service equipment, grounding, over current devices, feeders, branch circuits, distribution panels and electrical room layout may be required. Depending on the extent of new plumbing work proposed, information regarding size of water pipes, plumbing vent termination and sanitary tie-ins may also be required.

REFERRAL TO DEVELOPMENT PLANNING

Development Planning approval may be required before a building permit can be obtained. The following are some examples:

- Changing the use of a business (e.g. from an office to a school).
- Changing the floor area use (e.g. increased office area in a previous warehouse space).
- Adding seats to a restaurant.
- Modifying the exterior of a building.
- Increasing floor area in an existing space by adding a mezzanine or addition to the building.
- Altering the parking layout for a building.

Requirements for Preliminary Plan Approval should be confirmed with the Planning and Development Department prior to signing a lease or beginning building alterations. A building permit will not be issued if Preliminary Plan Approval is required.

Note: A building permit must be applied for within 90 days of Preliminary Plan Approval. Further information may be obtained from the Planning and Development Department at 604-927-3440.

UNAUTHORIZED CONSTRUCTION

Unauthorized construction (un-permitted work) must be removed or the appropriate permits must be obtained and the construction's BC Building Code and bylaw compliance demonstrated.

EXISTING BUILDINGS

The BC Building Code applies to all buildings irrespective of the date of construction. The BC Building Code permits some latitude in its application to existing buildings but simple rules applicable to all situations cannot be provided. The applicant is encouraged to discuss the project particulars with Building Permits Division staff.

ALTERNATIVE SOLUTIONS

The provisions of the BC Building Code are not intended to limit the appropriate use of materials, appliances, systems, equipment, methods of design or construction procedures. Please refer to the Alternative Solutions Guide for more information regarding the City's policies and practices.

INFORMATION AT CITY HALL

Tenants require permission from the owner of the building to view any plans on file and to apply for a building permit. We advise new tenants to check the approved plans at City Hall, if available. The plans show construction that was allowed by previous building permits. You will need to provide an Agent Authorization Form for File Access or Permit Application to view and make copies of the plans at City Hall. For more information, contact the Building Division at 604-927-3441 or permits@coquitlam.ca.

PERMIT APPLICATION REQUIREMENTS

Three (3) sets if all required plans must be submitted.

Site Plan (see example 1)

1. The site plan must be drawn to a minimum scale of 1/8" to 1'0" (or equivalent metric scale).
2. Indicate the relationship of work to adjacent tenancies.
3. Show the location of the building on the property.
4. Show all other buildings on the property.
5. Show the North arrow, the property lines, label the streets and show the parking spaces.
6. Identify the location of the tenant space in the building.
7. Identify the parking spaces allocated for this tenant space (off-street parking is based on the current Zoning bylaw).

Floor Plan (see example 2)

1. The floor plan must be drawn to a minimum scale of 1/4" to 1'0" (or equivalent metric scale).
2. Provide a key plan for the floor the tenant space is located on (see sample 3).
3. Identify the use of each tenant space on the storey the tenant space is located.
4. Floor plans are required for each floor, including mezzanines.
5. Show the overall dimensions and square footages for all floors.
6. Label the use of all rooms.
7. Show the interior dimensions and square footages of all rooms.
8. Show walls separating this tenant space from adjacent tenant spaces.

Floor Plan (continued)

9. Show washrooms and washroom fixtures. (Please note, your plumbing contractor may need to submit plumbing isometric drawings if you are altering the drainage and/or water pipe systems.
10. Show equipment location (i.e. tables, chairs, shelves, appliances, roof top units, etc.).
11. Show all existing and new partition walls.
12. Indicate the construction of the walls, including wall finish material, new and existing (i.e. stud size, spacing and thickness of interior finish).
13. Show all doors, hallways and stairs.
14. Indicate the sizes of all doors and the direction of their swings.
15. Show stairs and indicate width of stairs.
16. Indicate width and length of hallways.
17. Show travel distance from all floor areas to an exit door or an exit stair.
18. If constructing a mezzanine or a floor, the plans must be certified by a Structural Engineer. Two sets of original sealed and signed structural plans are required. An original sealed and signed Schedule B Letters of Assurance are required.
19. If constructing a mezzanine or a floor, the density calculation for the site may be required. (Density is based on the applicable zone in the current Zoning Bylaw).

Cross Section (see example 3)

1. The cross section must be drawn to a minimum scale of 1/4" to 1'0" (or equivalent metric scale).
2. Show the walls separating your tenant space from adjacent tenant spaces.
3. Indicate the construction of the roof.
4. Show the mezzanine or additional floors and indicate the construction.
5. Indicate the height above and below the mezzanine or additional floors.
6. Show the stairs to the mezzanine or additional floors.
7. Indicate rise, run, headroom, handrail or guard height and the width of stairs.

OTHER REQUIREMENTS

Please be aware that if you are proposing an assembly occupancy, construction requirements for the entire building may need to be upgraded. You may be required to retain the services of a Registered Professional to address the architectural aspects of the Building Code requirements. Assembly occupancy means the occupancy or the use of the building, or part thereof, by a gathering of persons for civic, political, travel, religious, social, educational or like purposes, or the consumption of food or drink. For example, assembly halls, churches, dance schools, day care centers, schools and restaurants.

FEES

Per the City of Coquitlam's [Fees and Charges Bylaw](#), you will have to pay an application fee when you apply. The permit fee is based on the calculated construction and equipment value within your tenant space and is payable when the permit is ready to be picked up and issued. The fees are broken down as follows:

- 25% of the permit value when the application is made.
- Balance of the permit value when the permit is issued.


INSPECTIONS

Complete information on inspections can be found on our Inspections page.


- Buildings and/or structures requiring a building permit will also require inspections performed by City Building Officials.
- Plumbing permits for new plumbing systems and services will require inspections by City Plumbing Officials.
- Fire suppression systems (building sprinklers) will require inspections by City Plumbing Officials.

This information is provided for convenience only and is not in substitution of applicable City Bylaws, Provincial or Federal laws and regulations. Always refer to official documents. The City is not responsible for errors found in copies or alterations of this document.

Site Plan (example 1)



Floor Plan (Example 2)




FLOOR PLAN
SCALE: See Brochure

LEGEND

- Existing wall to remain
- New wall – indicate wall assembly

PROJECT ADDRESS:
DESIGNER:


Key Plan – Second Floor (sample 3)



A floor plan is a view downward from above and is drawn at a particular vertical position (commonly about 3 feet above the floor). Objects below this level are seen, objects shown at this level are “cut” in plan-section, and objects above this vertical position are omitted or shown dashed.

Walls and partitions shall be shown at the appropriate width for the scale used (walls drawn as single lines will not be accepted).

Floor Plan (Upper Floor)



Cross Section (Sample 4)




Figure 5 Cross Section A-A (to be 1/4" = 1'-0")